


Product data sheet uvex silv-Air 7232 FFP2 R D



Product information

| | | |
|-------------------------|--|--|
| Product features | <ul style="list-style-type: none"> • Particle-filtering cup shape mask with valve • Protection level FFP 2 • High-Performance, three-chamber climazone system • Innovative design with optimized shape • 4-point headband attachment allows an individual and secure fit • Integrated, flexible, adjustable nose clip • 2 extra filters with inhalation valve for low breathing resistance and more comfort • High-quality uvex silv-Air outer material for best possible breathability • Soft sealing lip guarantees a secure, comfortable sealed position of the mask • Nasal recess at sealing lip ensures a perfect fit for almost any nose shape • Mask fulfils the requirements of reusability (R) and the dolomite dust test (D) | |
| Materials | Headband: textile Headband clips: Polypropylen Sealing lip: synthetic foam Nose clip: metal Filter/mask: PP, Polyester Valve: PP | |
| Weight | 41 g | |
| Standard | EN 149:2001 + A1:2009 | |

Versions & Accessories

| Article number | Colour/Version | Retail unit |
|----------------|---|----------------|
| 8787232 | cup shape mask FFP2, silver with three-chamber-system | 3 pcs. per box |
| 8701011 | uvex clear cleaning spray | 1 can, 360ml |

Packaging sizes

| | |
|--------------|----------------------------|
| Box | approx. 150 x 190 x 195 mm |
| Outer Carton | approx. 400 x 320 x 610 mm |

Maximum breathing resistance acc. to EN149 in mbar

| | Inhalation resistance 30l/min. | Inhalation resistance 95l/min. | Exhalation resistance 160l/min. |
|-------------|-----------------------------------|-----------------------------------|------------------------------------|
| FFP1 | 0,6 | 2,1 | 3,0 |
| FFP2 | 0,7 | 2,4 | 3,0 |
| FFP3 | 1,0 | 3,0 | 3,0 |

Areas of use*

| | |
|--|---|
| The respiratory protection mask can be used against solid, aqueous and non-volatile liquid aerosols up to 10 times the respective limit values. | Woodworking, softwood, cement, metal, smog, fine dust, concrete, iron dust, ash, cotton dust, fluoride, carbon fibres, gypsum, fibre glass, copper, nickel, soot, pollen, house dust, pet hair. |
|--|---|

*Please note that the above mentioned areas of use are examples only. The selection of PPE needs to be carried out by a competent person, in conjunction with relevant and current legislation.

All respiratory protective devices fall into PPE category III (high risks).

Uvex accepts no liability for any possible harm or damage which may result from this information. This data sheet does not replace a detailed risk assessment nor seeking specialist advice.

UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth