

STKS 420

LOOK SHARP ON SITE

Stay sharp and protected with STKS safety glasses, the ultimate blend of style, sustainability, and high-performance eye protection. Engineered by Bollé Safety, these sleek, eco-friendly frames are made to keep up with you and your crew — on site and beyond. Certified for serious protection and built for all-day comfort, STKS combines cutting-edge technologies with sustainable materials for durability that won't quit. The modern frame design delivers a sharp, athletic look while keeping your vision clear and your eyes safe. Need prescription lenses? STKS is also available in prescription to keep you looking on point with sharp vision, no matter where the job takes you.

28 G

- + **SUSTAINABLY CRAFTED: 32% (PLANO) AND OVER 52% (PRESCRIPTION) RECYCLED POLYCARBONATE**
- + **CRYSTAL-CLEAR VISION WITH PLATINUM : ANTI-SCRATCH & ANTI-FOG COATING**
- + **ENHANCED PROTECTION & COMFORT: INTEGRATED SIDE SHIELDS AND UPPER BROW PROTECTION FOR SUPERIOR COVERAGE**
- + **PRESCRIPTION-READY : ADVANCED LENS TREATMENTS AND WIDE PRESCRIPTION ADAPTABILITY FOR PRECISE VISION CORRECTION**



TECHNOLOGIES

CSP
 PLATINUM
 POLARIZED

VERSIONS



STK42N10E

STK42N21E

STK42N55E



STK42N11E

STK42N50E



STK42N20E

STK42N51E

PRESCRIPTION



STK42X11E

STK42X12E

STK42X14E



STKS 420

USE	VERSION	FRAME COLOUR	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
	CLEAR	SHINY BLACK	STK42N10E	UL1.2 CT 1 KN CE	16321 UL1.2 CT 1-M CE	PLATINUM	EN ISO 16321-1
	CLEAR	CRYSTAL GREY	STK42N11E	UL1.2 CT 1 KN CE	16321 UL1.2 CT 1-M CE	PLATINUM	EN ISO 16321-1
	SMOKE	TRANSLUCENT BLACK	STK42N20E	GL3 CT 1 KN CE	16321 GL3 CT 1-M CE	PLATINUM	EN ISO 16321-1
	SMOKE	CRYSTAL	STK42N21E	5-3.1 FT KN CE	EN166 FT CE	PLATINUM	EN166-EN172
	SMOKE POLARIZED	TRANSLUCENT BLACK	STK42N50E	GL3 CT 1 K CE	16321 GL3 CT 1-M CE	ANTI-SCRATCH	EN ISO 16321-1
	COBALT FLASH POLARIZED	TRANSLUCENT BLACK	STK42N51E	GL3 CT 1 K CE	16321 GL3 CT 1-M CE	ANTI-SCRATCH	EN ISO 16321-1
	COBALT FLASH POLARIZED	CRYSTAL	STK42N55E	5-3.1 FT CE	EN166 FT CE	ANTI-SCRATCH	EN166-EN172

BOLLÉ SAFETY PRODUCT APPROVAL CERTIFICATES TO CE STANDARDS WILL BE SENT ON REQUEST.

PACKAGING & EAN13 CODE

SINGLE: Size: 15,6 x 5,5 x 4,5 cm	INNER BOX (10PCS): Size: 28,5 x 18 x 9 cm	OUTER PACK (120PCS): Size: 58 x 38 x 30 cm Weight: 9,38kg
3660740024499	3660740124496	3660740224493
3660740024536	3660740124533	3660740224530
3660740024505	3660740124502	3660740224509
3660740025038	3660740125035	3660740225032
3660740024512	3660740124519	3660740224516
3660740024529	3660740124526	3660740224523
3660740025052	3660740125059	3660740225056

CUSTOM CODE: 9004901000

GENERAL SPECIFICATIONS

LENS	POLYCARBONATE - 2.2 MM	FOAM	-
CURVE	4 - SLIGHTLY CURVED	STRAP	-
FRAME	RECYCLED POLYCARBONATE FULL FRAME	SUPPLIED WITH	MICROFIBER POUCH



CLEANING & STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.



MADE IN: CN DATASHEET: 03-09-2026


bolle-safety.com

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700

USA Office
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
United States of America
P : 800 222 6553

Asia-Pacific Office
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P : 1300 138 098



STKS 420 | R

USE	VERSION	FRAME COLOR	REFERENCE	SIZE	TEMPLES	FRAME MARKING	STANDARD
	PRESCRIPTION FRAME	SHINY BLACK	STK42X11E	56/18	137 mm	EN166 F CE	EN166
	PRESCRIPTION FRAME	CRYSTAL GREY	STK42X12E	56/18	137 mm	EN166 F CE	EN166
	PRESCRIPTION FRAME	GRAPHITE	STK42X14E	56/18	137 mm	EN166 F CE	EN166

BOLLÉ SAFETY PRODUCT APPROVAL CERTIFICATES TO CE STANDARDS WILL BE SENT ON REQUEST.



PACKAGING & EAN13 CODE

SINGLE: Size: 17,5 x 7,5 x 5,5 cm	INNER BOX:	OUTER PACK (50PCS): Size: 58 x 38 x 30 cm
3660740022785	-	3660740222789
3660740022792	-	3660740222796
3660740026516	-	3660740226510

CUSTOM CODE: 9003110000

ASSEMBLY RESTRICTIONS

MAXIMUM SPHERE POWER	-10.00/+10.00	MAXIMUM CYLINDER	+/-5.00
-----------------------------	---------------	-------------------------	---------

LENS MATERIAL / IMPACT RESISTANCE

PC / F	CR39 / S	TRIVEX / F
--------	----------	------------

GENERAL SPECIFICATIONS

CURVE	4 - SLIGHTLY CURVED	LENS MATERIAL	PC, CR39, TRIVEX
FRAME	BIO-BASED POLYAMIDE / RECYCLED PC - FULL FRAME	CORRECTIONS AVAILABLE	SINGLE VISION / BIFOCAL / DEGRESSIVE / PROGRESSIVE
STRAP		SUPPLIED WITH	RX KIT (HARD CASE, MICROFIBER POUCH, USER INSTRUCTION)



CLEANING & STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.



MADE IN: CN

DATASHEET: 03-09-2026


bolle-safety.com

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700

USA Office
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
United States of America
P : 800 222 6553

Asia-Pacific Office
32-40 Fairchild Street
heatherton VIC 3202
Australia
P : 1300 138 098




PRODUCT



32%

OF THIS EYEWEAR IS RECYCLED



100%

OF RENEWABLE ENERGY IN THE PRODUCTION PROCESS

0.404








kgCO_{2e} EMISSIONS




OR A FULL PRODUCT LIFE CYCLE

17.6%

CO₂ REDUCTION

VS THE SAME STANDARD PRODUCT

VERSIONS	 STK42N10E	 STK42N11E	 STK42N20E	 STK42N21E	 STK42N50E	 STK42N51E	 STK42N55E
FRAME/TEMPLES COMPOSITION	FRAME: RECYCLED POLYCARBONATE / TEMPLES: POLYCARBONATE						
LENS COMPOSITION	POLYCARBONATE						
% OF TOTAL PRODUCT WEIGHT	32%						
CO ₂ Footprint	0,404 kgCO _{2e}						
CO ₂ reduction VS standard product	17,6%						

	 STK42X11E	 STK42X12E	 STK42X14E
	BIO-SOURCED POLYCARBONATE / RECYCLED POLYCARBONATE		
	POLYCARBONATE		
	52,8%		
	2,953 kgCO _{2e}		
	4,1%		